Quantum®

32 Wedgwood Road, Bicester,

Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070

Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk





Dealer September 2019 (V1.4)















| APPROVED CODE TRADBIGSTANDARDS 509UK | ISO 9001 REGISTERED REGISTERED | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| Q4 with TB Flex Seating | | | | | | | | |
| Dealer Name: | Order Date: | | | | | | | |
| Address: | | | | | | | | |
| | | | | | | | | |
| | Post Code: | | | | | | | |
| Phone | Email: | | | | | | | |
| PO No: | Order Ref: | | | | | | | |
| Delivery Address: | | | | | | | | |
| | | | | | | | | |
| | Post Code: | | | | | | | |
| Quantum Specialist: | | | | | | | | |
| | Standard Features | | | | | | | |
| TB Flex Seating System | • 2" x 6" Front & Rear Castors, Flat Free | Height Adjustable Removable Armrests | | | | | | |
| Max User Weight: 21 st 6lbs. (136 kg) | 14" Flat Free Drive Tyres | 70° Swing-Away Legrests | | | | | | |
| 2 x 50ah batteries | ATX Suspension | Angle Adjustable Flip Forward Backrest | | | | | | |
| NE+ Control System | 4 Mph (6 Km/h) Motors | Tie-Down System for Transportation | | | | | | |
| Standard = Standard Factory Feature FOC = Select instead of Standard Factory Feature | | | | | | | | |
| Base Model | | | | | | | | |
| | | | | | | | | |

Q4 with TB Flex Seating - £3,450.00

Drive Wheels Standard ☐ 3" x 14" Flat Free, Black Tyres FOC ☐ 3" x 14" Pneumatic, Black Tyres **Castor Wheels** FOC 🛛 2" x 6" Flat Free, Black Tyres, Front and Rear **Colours**







☐ Red Corvette

☐ Midnight Blue

☐ Back in Black

| Seat Dimensions | | | | | | | |
|-----------------------------|-----------------------|----------------------------------|--------------------------|-----------------------------|-------------------------|------------------------|--------------|
| Seat Width | | | | Seat Depth | | | |
| □ 15" | □ 16" | □ 17" | □ 18" | □ 15" | □ 16" | □ 17" | 1 8" |
| □ 19" | 20 " | 21" Only available adjustable ba | e with tension ckrest | □ 19" | 2 0" | | |
| Please note the smallest sa | eat cushion available | is 16" v 16" and the Ic | raest is 20" v 21 | n" Please refer to our Stea | alth Cushion Order Form | m for alternative mode | ls and sizes |

| Please note the smallest seat cushion | available is 16" x 16", and | the largest is 20" x 20". Please | refer to our Stealth Cushion | Order Form for alternative models and sizes. | | |
|---------------------------------------|-----------------------------|----------------------------------|------------------------------|--|--|--|
| Seat Cushions | | | | | | |
| ☐ Sitrite Premier | | | | Standard | | |
| ☐ Sitrite Premier Plus | | | | £95.00 | | |
| ☐ Tru-Comfort 2 SPP | | | | £95.00 | | |
| Cushion Size ☐ 16"W x 16"D | □ 16"W x 18"D | □ 16"W x 20"D | □ 18"W x 16"D | □ 18"W x 18"D | | |
| □ 18"W x 20"D | □ 20"W x 16"D | □ 20"W x 18"D | ☐ 20"W x 20"D | | | |

Q4 TB FLEX SEATING

| Seat Positioning Adjustments | | | | | | | |
|--|--|--|---|--|--|-----------------|---|
| ☐ Manual Tilt 0° to 3 | 30° Tool adjus | stable with a teles | scopic tube | | | | Standard |
| ☐ TB-Flex® Power Till | t 0° to 30° F | ull Drive Lock at 2 | 0" when combined | with Power Recline. Uses 1 p | power option | | £300.00 |
| Seat to Floor Height | | | | | | | |
| □ 16" | | □ 17" | Changes Tilt range to | o -5° to 25° | ☐ 18" Changes | Tilt range to - | 10° to 20° |
| | | E | Backrest U | pholstery | | | |
| | Tension Adjus | stable Back | | Sitrite Premier Standard | Sitrite Premie £170.00 | er Plus | £ |
| Range of Adjustmen | t: Sitrite Premi | er and Premier Pl | us = 24.5" High to 28' | ' High. (Factory Set at 24.5" | ') Tension Adjustable = 19 |)" to 23" | |
| | | Bad | ckrest Posi | itioning <i>A</i> djust | ments | | |
| \square Manual Settable | / Flip Forwa | ard Range of ad | ljustments 95° to 125° | | | | Standard |
| ☐ Attendant Contro | olled Manu | Jal Recline Rar | nge of adjustments 9 | 5° to 125°. Not suitable for o | occupied transportation. | | £150.00 |
| ☐ Powered Recline | Range of adj | justments 95° to 1: | 25°. Uses 1 power op | tion. | | | £200.00 |
| | | | A | Irmrests | | | |
| ☐ TB Flex Removab | le Armrest | with Quick Re | lease Range of ad | justments 9" to 14" | | | Standard |
| ☐ TB Flex Removab | le Armrest | with Armrest L | .ever Range of adj | ustments 9" to 14" | | | £85.00 |
| 2-Post Flip Up Rer | novable A | rmrest Range o | f adjustments 9" to 1. | 3" | | | £280.00 |
| Armpads 10" Standard | | □ 14" S | Standard | ☐ 10" Water | fall | □ 14" W | aterfall |
| | | | , randara | Only available wi | | | ble with 2-post flip up |
| | | | Non-Expa | indable Contro | ols | | |
| ■ NE + Controls 2 po | wer option re | ady | | | | | Standard |
| □ VR2 Controls 2 pov | wer option rec | ady | | | | | FOC |
| | | | Joystick N | lounting Optio | ns | | |
| ☐ Fixed ☐ Swing-Away ☐ Attendant Contro | ol Only | \$tandard £75.00 £100.00 | ☐ Retract 4 S☐ Dual Contr | wing-away Joystick A ol | arm Kit (Full 180° Moven | nent) | £150.00 £380.00 |
| Mounting Position | n or | _ | | | | | |
| = | | Right | | .egrests | | | |
| Left | or | Right | L | | | _ | Standard |
| = | or Legrests Ran | ☐ Right | ts 12" to 15" from sec | at pan to heel | _ | - | Standard £75.00 |
| ☐ Left ☐ 70° Swing-away L ☐ Base Mounted Fo | or Legrests Ran | Right Right nge of adjustment Mounted to Ch | ts 12" to 15" from sec nassis, will not move w | at pan to heel | om seat pan to heel | | |
| ☐ Left ☐ 70° Swing-away L ☐ Base Mounted Fo | or Legrests Rar pot Platforn Mount Foot | Right Right Right Represented to Cherented to Cherente | ts 12" to 15" from sec nassis, will not move v | of adjustments 10" to 16" fro | om seat pan to heel 3.5"-16.5" from seat pa | n to heel | £75.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre M □ Quantum 60° to 9 | or Legrests <i>Rar</i> Dot Platforn Mount Foot 90° Adjusta | Right The Right of adjustment of adjustment of adjustment of the Charles of the Right of the Ri | ts 12" to 15" from sec nassis, will not move v nted to Seat. Range vay Legrests | of adjustments 10" to 16" fro | 3.5"-16.5" from seat pa | n to heel | £75.00 £315.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw | Right The Right Right Right Right Right Right Right | ts 12" to 15" from sec nassis, will not move w nted to Seat. Range yay Legrests ange of adjustments | of pan to heel with Power Tilt of adjustments 10" to 16" fro | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw | Right The Right Right Right Right Right Right Right | ts 12" to 15" from seconassis, will not move wanted to Seat. Range vay Legrests ange of adjustments | out pan to heel vith Power Tilt of adjustments 10" to 16" fro 11"-13" 13 15" to 20" from seat pan to ts 15" to 20" from seat pan t | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating □ Powered Elevating | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw ng Swing-Av | Right The Right of Adjustment of Mounted to Chair Platform Mounted to Chair Platform Mounted to Swing-away Legrests Raway Legrest Raway Raway Legrest Raway Raway Legrest Raway Raway Raway Legrest Raway Raw | ts 12" to 15" from seconassis, will not move wanted to Seat. Range vay Legrests ange of adjustments | of pan to heel with Power Tilt of adjustments 10" to 16" fro 11"-13" 15" to 20" from seat pan to | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 £650.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating □ Powered Elevating □ Stealth 10" Comfo | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw ng Swing-Av ort Plus CP28 | Right The Right Right Right Right Right Right Right | ts 12" to 15" from seconassis, will not move wanted to Seat. Range vay Legrests ange of adjustments | out pan to heel vith Power Tilt of adjustments 10" to 16" fro 11"-13" 13 15" to 20" from seat pan to ts 15" to 20" from seat pan t | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 £650.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating □ Powered Elevating □ Stealth 10" Comfo | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw ng Swing-Av ort Plus CP25 | Right The Right Right Right Right Right Right Right | ts 12" to 15" from sec nassis, will not move we nated to Seat. Range yay Legrests range of adjustments Range of adjustment | out pan to heel vith Power Tilt of adjustments 10" to 16" fro 11"-13" 13 15" to 20" from seat pan to ts 15" to 20" from seat pan t | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 £650.00 £140.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre M □ Quantum 60° to 9 □ Manual Elevating □ Powered Elevating □ Stealth 10" Comfo □ Stealth 14" Comfo | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw ng Swing-Av ort Plus CP28 ort Plus CP18 | Right The Right Right Right Right Right Right Right | ts 12" to 15" from sec nassis, will not move we nated to Seat. Range yay Legrests range of adjustments Range of adjustment | out pan to heel vith Power Tilt of adjustments 10" to 16" fro 11"-13" 13 15" to 20" from seat pan to ts 15" to 20" from seat pan t | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 £650.00 £140.00 £140.00 £250.00 |
| □ Left □ 70° Swing-away L □ Base Mounted Fo □ Synergy Centre N □ Quantum 60° to 9 □ Manual Elevating □ Powered Elevating □ Stealth 10" Comfo | or Legrests Ran Dot Platforn Mount Foot 90° Adjusta g Swing-Aw ng Swing-Aw ort Plus CP15 rable Comf | Right The Right of Adjustment of Adjustment of Adjustment of Charles of Adjustment of Charles of Platform Mount of Platform of Platform of Platform of Adjustment of Adjustment of Platform of Platform of Adjustment of Platform o | ts 12" to 15" from sec nassis, will not move we nated to Seat. Range yay Legrests range of adjustments Range of adjustment | out pan to heel vith Power Tilt of adjustments 10" to 16" fro 11"-13" 13 15" to 20" from seat pan to ts 15" to 20" from seat pan t | 3.5"-16.5" from seat pa | | £75.00 £315.00 £337.00 £250.00 £650.00 £140.00 |

Q4 TB FLEX SEATING

| | Late | eral and Tr | runk Supports | | | | |
|--|--------------------------------------|----------------------|---------------------------|--------------------------|-------------------|------------|--|
| Stealth Thoracic Lateral | Supports | | | | | | |
| Left Lateral Package | | | Right Lateral Package | | | | |
| ☐ Lateral Thoracic Link Ho | ardware , Cane Mount & Pac | £195.00 | ☐ Lateral Thoracic Link F | lardware , Cane <i>I</i> | Mount & Pad | £195.00 | |
| Left Lateral Pads Choo | ose one option only | | Right Lateral Pads C | hoose one option on | nly | | |
| ☐ 3" H x 5" L Curved L | ateral Pad | | □ 3" H x 5" L Curved | Lateral Pad | | | |
| 4" H x 6" L Curved Lateral Pad | | | | | | | |
| | | Pelvic S | upports | | | | |
| \square Auto Buckle Lap Belt, | Push Button Release | | | | Stand | ard | |
| i-Fit Pelvic Belts Supplied un | -installed | | | | | | |
| Padded Offers a large po | added surface area | | | | £70.00 |) | |
| □ Non-Padded Narrowed Size | d section for smaller support surfac | :es. Not available w | ith 4-point | | £65.00 |) | |
| □ Extra Small | ☐ Small | □Medium | □ Large | ☐ Extra Large | | 4 1 | |
| Not available with non- Attachment Method | paddea | Release Mec | hanism | Not avallable w | vith non-padded o | r 4-point. | |
| 2-Point | 4-Point Single pull only | ☐ Push Butto | on Side Release | | | | |
| Adjustment | | | | | | | |
| ☐ Single Pull | Dual Pull | | | | | | |
| | | Acces | sories | | | | |
| ☐ Quick Release Transfe | er Bars Not Compatible with 2-Pc | ost Flip Up Removak | ole Armrest | | £125.00 | | |
| \square Quantum Backpack | | | | | £40.00 | | |
| ☐ Swing-Away Tray Tabl | e | | | | £350.00 | | |
| | | Pri | ice | | | | |
| | | | | Sub Total: | £3,450.00 | | |
| | | | | Options: | | | |
| | | | | Total: | | | |

Notes

- All measurements given are approximate.
- By faxing or mailing this order you accept all responsibility for the configuration ordered.
- Errors made in filling out this order, may result in further charges or delays.

 If this order has a deadline you must advise us ASAP. We will try to deliver for this date, but cannot accept liability if we are unable to fulfil this order by your deadline.
- Information relating to crash testing is correct at time of printing. Pride Mobility constantly reviews and updates this information, if you require further information about crash testing, please contact your Quantum Specialist