



Invoice to:		Deliver to:	
Name:		Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase order:			
Fay number: +44	(0)845 605 66 89	USER WEIGHT	kg
Email: orders@s		Grash tested and passed	without tie down brackets

MSH01

#### PLEASE CHOOSE ONE OF THE FOLLOWING FRAME OPTIONS

## Helium Generation 2013

Maximum user weight 125kg

□ Base price £2725

Seat depth in cm

HUM030017 Helium Pro

Maximum user weight 125kg Fixed welded axle position

(no rear seat height adjustment & +/- 1cm centre of gravity adjustment)

Standard angle adjustable back

□ £399

HUM030016

Helium Pro Maximum user weight 100kg

Fixed welded axle position

(no rear seat height adjustment & +/- 1cm centre of gravity adjustment)

#### Fixed welded backrest set at\*

- □ -4° (86°)
- □ -2° (88°)
- □ 0° (90°) £532
- □ +2° (92°)
- Figures in brackets are angle to
- ground ☐ +4° (94°)
  - \*Must choose Oval Shaped Backrest

#### **CLIENT MEASUREMENT**

S	eat w	idth i	n cm (me	easured f	rom outs	side fram	e tube to	outside	frame tu	ube)
		32	34	36	38	40	42	44	46	Ī
	34	0	0	0	0	0	0	0	0	Ĭ
	36	0	0	0	0	0	0	0	0	
	38	0	0	0	0	0	0	0	0	
	40	0	0	0	0	0	0	0	0	
	42	0	0	0	0	0	0	0	0	
	44	0	0	0	0	0	0	0	0	
I	46	0	0	0	0	0	0	0	0	1

- Please note the procedure of the measurement is from the

- All measurements are in cm and without a cushion

High frame is 4cm higher than low frame and you can choose shorter and lighter forks to minimise the weight of your wheelchair. See next page

Ì	Eront	coat	hoiaht	in om	
	⊢ront	seat	height	ın cm	

		Fork (Length x Width)	Frame	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
	3"	111 mm	Low	0	0	0												
	3	111 mm	High					0	0	0								
		111 mm <b>(1)</b>			0	0	0	0										
		123 mm <b>(2)</b>	Low			0	0	0	0									
	4"	Frog Leg (2)						0	0	0								
	-	111 mm <b>(1)</b>							0	0	0	0						
		123 mm <b>(2)</b>	High							0	0	0	0					
Front Castor		Frog Leg (2)										0	0	0				
Cas		111 mm <b>(1)</b>					0	0	0									
nt (		123 mm <b>(2)</b>	Low					0	0	0								
임	5"	Frog Leg (2)										0	0					
	3	111 mm <b>(1)</b>									0	0	0					
		123 mm <b>(2)</b>	High									0	0	0				
		Frog Leg (2)														0	0	
		123 mm <b>(2)</b>	Low						0	0	0							
	6"	Frog Leg (2)	LOW											0				
	0	23 mm <b>(2)</b> rog Leg <b>(2)</b> 23 mm <b>(2)</b>	High										0	0	0			
		Frog Leg (2)	ingii															0

(1): Also available as one arm fork; please choose the fork type on page 4

(2): Compatible with Power-Add on devices

Your rear seat height can only be between 0cm and 13cm below your front seat height:

i.e. rear seat height CANNOT be above front seat height.

i.e. rear seat height CANNOT be more than 13cm below front seat height.

More info, see page 2

# 4" & 5" soft roll and 5" & 6" soft solid are only available with a 45 mm fork



Carbotecture



One arm design

Frog Legs design 149mm length and 41mm width

#### **REAR WHEELS**

Rear wheel

Rear seat height in cm

(The ordered rear seat height is adjustable + /- 1cm on each chair. Excludes Helium Pro.)

		J .												
Wheels	37*	38*	39	40	41	42	43	44	45	46	47	48	49*	50*
24"	0	0	0	0	0	0	0	0	0	0	0	0	0	
25"		0	0	0	0	0	0	0	0	0	0	0	0	0

\*With std seat upholstery decreasing rear seat height not possible in 37cm (24" wheel) and 38cm (25" wheel). \*With std seat upholstery increasing rear seat height not possible in 49cm (24" wheel) and 50cm (25" wheel). £ **SEAT UPHOLSTERY** Seat sling standard With 1 utility bag HUM020002 0 (1) HUM020003 With 2 utility bags (only from SW 36cm) 51 (1) With 1 utility bag and 1 catheter bag (1) (only from SW 36cm) 81 HUM020004 Seat Sling Clip Style - Airflow (user weight limit 100kg) (1) 192 HUM020010 HUM020005 With 1 utility bag (1) 239 With 2 utility bags 270 (1) (only from SW 36cm Max 100Kg) HUM020006 HUM020007 With 1 utility bag and 1 catheter bag (1) (only from SW 36cm Max 100Kg) 301 HUM020000 0 Without seat sling Jay Cushions - for complete product range see Jay order forms JAY020002 JAY Basic 55 77 JA Y020003 JAY Soft Combi P JAY020001 JAY Easy Visco, Curved Base 132 JAY Easy Fluid, Curved Base 308 JAY020007 JAY020004 JAY Lite 215 Seat cushion black cover composite foam a) Foam composite Thickness: HUM020101 3cm HUM020102 5cm 66 b) Latex Thickness: HUM020103 5cm HUM020104 8cm 66 (very soft) Seat cushion with water resistant / breathable cover Thickness: HUM020105 HUM020106 123 a) Foam composite 3cm 5cm b) Latex Thickness: HUM020107 5cm HUM020108 8cm (very soft, 123 Seat accessories HUM090018 Positioning belt with lock 42 44 HUM020150 Spare cushion cover with zipper **BACKREST** HUM030001 0 Standard backrest 25 - 3030 - 3535 - 40 40 - 45 Back height factory setting at (cm) 35 0 25 0 30 0 0 40 0 27.5 0 33 0 37.5 0 42.5 0 30 0 35 0 40  $\circ$ 45 HUM030003 Oval shaped backrest (Non Height adjustable and please pick bar setting below) 232 27.5 30 32.5 35 37.5 0 40 42.5 45 0 0 0 0 0 0 HUM030403 0 Stabilizer bar setting close (9.2cm) HUM030404 O Stabilizer bar setting wide (12.4cm) (distance away from the backrest) HUM030015 0 Back angle adjustable foldable (-31° to +15°; only in black anodizing) HUM030012 0 Angle adjustable back (non folding) (-31° to +15°; only in black anodizing) Double locking (angle adjustable and folding, locks in folded position) 54 HUM030102 (-31° to +15° anodised colour options on last page) HUM030103 Backrest width ONE size smaller than standard (-2cm less than the seat width) 153 (not available with Freestyle backrest) **PUSH HANDLES** HUM030200 0 Omit push handles HUM030201  $\cap$ (2) Long (only available from 32.5cm standard back, П HUM030203 Fold-down push handles (2) HUM030211 Removable push handles 171 (only with Freestyle back) HUM030204 Height adjustable push handles (not possible with OSB (4067) & from 32.5cm on the std backrest) 171 HUM030205 Height adjustable push handles for Jay backs 171 (1): no change from standard to clipstyle seat sling possible (and other way round) in the field afterwards not available with height adjustable push handles (2):

			£
1111111000010		PHOLSTERY  No elevate like a weether in the considered a distribute A consequence beauthor (CVO Five Version)	
HUM030316		D backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag black (EVO Exo Version) ing tape: O Black O Orange O Silver O Red O Blue	
HUM030317	Colour bind	ing tape:  O Black O Orange O Silver O Red O Blue  D PRO backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EVO Exo Version)	147
110101030311	Colour bind		147
HUM030300		nout backrest upholstery	
	FREEST	YLE BACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested)	
HUM030089	□ Fre	estyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour)	594
	0	Backrest shell height 31cm (backheight 325 - 425 mm)	
		O Backrest shell width 32cm - can be used from SW 32cm	
		O Backrest shell width 37cm - can be used from SW 38cm	
HUM030090	□ Fre	estyle back, J3 Carbon backrest shell, shallow contour (SC)	713
	0	• • • • • • • • • • • • • • • • • • • •	
		O Backrest shell width 32cm - can be used from SW 32cm	
		O Backrest shell width 37cm - can be used from SW 38cm	
		O Backrest shell width 42cm - can be used from SW 44cm	
	0		
	Ŭ	O Backrest shell width 32cm - can be used from SW 32cm	
		O Backrest shell width 37cm - can be used from SW 38cm	
		O Backrest shell width 42cm - can be used from SW 44cm	
		Dacklest shell width 42cm - can be used from SW 44cm	
	JAY BAC	CKRESTS	
Shallow C			
	k - Shallow	Contour	
Mid Thorac	cic:	□ Medium - 34 cm (JAY030010) □ Tall - 38 cm (JAY030033)	506
Upper Tho	racic:	□ Short - 42 cm (JAY030012) □ Medium - 46 cm (JAY030019) □ Tall - 50 cm (JAY030025)	572
	k - Mid Con	1	500
Mid Thorac		□ Medium - 34 cm (JAY030011) □ Tall - 38 cm (JAY030018) □ Short - 42 cm (JAY030013) □ Medium - 46 cm (JAY030020) □ Tall - 50 cm (JAY030026)	506 572
Upper Tho	nacic.	□ Short - 42 cm (JAY030013) □ Medium - 46 cm (JAY030020) □ Tall - 50 cm (JAY030026)	372
JAY3 Carb	bon - Shallo	ow Contour	
Low Thora		□ Short - 17cm (JAY060001) □ Tall - 24 cm (JAY060002)	605
Mid Thorac	cic:	□ Short - 30cm (JAY060003) □ Tall - 32 cm (JAY060004)	605
	essory bag		
JAY090058		□ J3 Accessory Bag	50
JAY Acces	ccorioc		
JAY030004		Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with J3 backs)	255
JAY030006		Jay Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with J3 backs)	138
	SIDE GL	JARDS & ARMRESTS	
HUM040101		Slim style carbon side guard (1) (slim style, carbon fibre)	202
HUM040102		Straight side guard aluminium (without fender)	176
HUM040103 HUM040104		Fender side guard - aluminium (min seat height 39cm)	242
HUM040104		Fender side guard - carbon (min seat height 39cm  Plastic detachable side guard (Quickie style)	316 164
HUM040108		Tubular armrest, Aluminium, swing away (sideways), padded, removable (4) (not in combination with handbike axle)	203
	<u> </u>	Single post armrest with: (Quickie style; not with tubular armrest)	200
<i>F</i>	HUM040050	□ short armpad (25cm) HUM040051 □ long armpad (33cm)	176
HUM040052	· 🗆	Single post, tool height adjustable armrest, depth adjustable (33cm) (2) (not with tubular armrest)	202
HUM040000	0	Without side guard	
	15055	AT A FOOTBLATEO	
LILIMOFOCCO		ST & FOOTPLATES Lightweight tubular footract (lower log length 25cm 52cm)	
HUM050029 HUM050030		Lightweight tubular footrest  Tubular footrest lightweight with flat cover  (lower leg length 36cm - 52cm)  (lower leg length 36cm - 52cm)	73
HUM050025		Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm)	149
HUM050024		Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm)	149
HUM050026		Platform footplate lightweight angle & depth adjustable carbon	305
HUM050034		Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm)	149
HUM050125		Performance footplate angle adjustable (lower leg length between 36cm - 52cm)	222
HUM050127	7 🗆	Foot positioning plate (only with platform footplates lightweight angle & depth adjustable)	21
		Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors)	147
HUM050128	3 🗆		
HUM050128 HUM050022	3 🗆	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3)	147
	? 🗆	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3)	147
	? 🗆		147
	LOWER	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour  (3)  LEG LENGTH (cm) Attention: LLL has to be 3cm less than front seat height. All measurements are in cm	147
	LOWER	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour  (3)  LEG LENGTH (cm) Attention: LLL has to be 3cm less than front seat height. All measurements are in cm  22 O 23 O 24 O 25 O 26 O 27 O 28 O 29	147
	LOWER	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour         (3)           LEG LENGTH (cm)         Attention: LLL has to be 3cm less than front seat height. All measurements are in cm           22         0         23         0         24         0         25         0         26         0         27         0         28         0         29           30         0         31         0         32         0         33         0         34         0         35         0         36         0         37           38         0         39         0         40         0         41         0         42         0         43         0         44         0         45           46         0         47         0         48         0         50         0         51         0         52	147
	LOWER  O  O  Low Frame	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour         (3)           LEG LENGTH (cm)         Attention: LLL has to be 3cm less than front seat height. All measurements are in cm           22         0         23         0         24         0         25         0         26         0         27         0         28         0         29           30         0         31         0         32         0         33         0         34         0         35         0         36         0         37           38         0         39         0         40         0         41         0         42         0         43         0         44         0         45           46         0         47         0         48         0         50         0         51         0         52           st LLL 22-35cm only with high mounted footrest; for all other footrests from LLL 36-50cm	147
HUM050022	LOWER  O O Low Frame High Fram	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour         (3)           LEG LENGTH (cm)         Attention: LLL has to be 3cm less than front seat height. All measurements are in cm           22         0         23         0         24         0         25         0         26         0         27         0         28         0         29           30         0         31         0         32         0         33         0         34         0         35         0         36         0         37           38         0         39         0         40         0         41         0         42         0         43         0         44         0         45           46         0         47         0         48         0         50         0         51         0         52           e: LLL 22-35cm only with high mounted footrest; for all other footrests from LLL 36-50cm           e: LLL 22-39cm only with high mounted footrest; for all other footrests from LLL 39-52cm	147
HUM050022	LOWER  O O Low Frame High Fram with 24" re.	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour   (3)	147
(1): (2)	LOWER  O O Low Frame High Fram with 24" re- not with ce	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour    Colour   Co	147
(1): (2)	LOWER  O O Low Frame High Fram with 24" re. not with ce Lower leg I	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour  22	147
(1): (2)	LOWER  O O Low Frame High Fram with 24" re. not with ce Lower leg I only with s	Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour    Colour   Co	147

	FRAM	IE VERSIONS (first choose frame length, then frame ang	le and inset)		£
HUM010206	0	Standard frame	gie and miser,		
HUM010207	0	Long frame	(not in combination	n with SD 46cm; recommended with narrow castor house position)	
		20119 1141110	(	, , , , , , , , , , , , , , , , , , ,	
HUM010012	0	100° Fixed front frame (UK 80°)	(1)		
HUM010013		,	(1)		116
HUM010009		88° Performance compact fixed front frame (UK 92°)	,	(not available with 1cm inset option)	116
HUM010100	0	Inset: Standard (0cm)			
HUM010101	0	Inset: Small (1cm)		(not in combination with 88º frame)	
HUM010103		Inset: (3cm) only for frame angle 88° & 92°		(not available for seat width 32 cm)	116
HUM010301	0	Castor house position wide			
HUM010302	0	Castor house position narrow	(only	for inset 3cm, not available with 88° performance compact frame)	
HUM010500		Handbike axle (2)		(always 3° more than the std axle camber)	316
	CENT	RE OF GRAVITY (COG)			
		e only one of the 8 choices	(mea	sured from front of back post in cm)	
COG20	0	2.00cm	(		
COG32	0	3.20cm			
COG44	0	4.40cm			
COG56	0	5.60cm			
COG68	0	6.80cm			
COG80	0	8.00cm			
COG92	0	9.20cm			
COG104	0	10.40cm		COG 2.0 - 5.6 COG 6.8 - 10.4	
1UM090031	FRAI	ME ACCESSORIES Suspension up to 70kg	(2)		45
HUM090031		Suspension up to 120kg	(3)		45
10101090032		Tip assist (step tube)	(3)		40
IUM090001		Left HUM090002 □ Right			28
IUM090003		Pair		(not available with ant-tip)	54
IUM090009		Crutch holder		(only in combination with tip assist)	67
		Anti-tip tubes swing-away		· · · · · · · · · · · · · · · · · · ·	
IUM090004		Left HUM090005 □ Right			87
IUM090006		Pair		(not available with tip-assist)	176
IUM090007		Quickie style anti-tip tubes pluggable		(Pair)	73
		Anti-tip flip-up (user operated)		(not in combination with handbike axle)	
HUM090033		Left			134
1UM090008		Right			134
HUM090035		Sport anti-tip, central mount, pluggable	(For u	use with indoor not contact sports only; e.g. badminton/dancing)	270
HUM090010		Transit wheels (3" wheels)			194
IUM090016		Frame protection			67
	PREF	PARATION FOR ATTITUDE ADD-ON BIKE			
IUM090211		Preparation for ATTITUDE, without ATTITUDE order		(docking pins assembled)	97
HUM090212	0	Preparation for ATTITUDE, with ATTITUDE order		(docking pins assembled; ATTITUDE order separately)	
	EOD!	<b>/</b> \$			
	FORI			/adams and action of the control of	
HUM080013	0	Carbotecture fork	u 111mm le meth 0 t t d	(colours: see colour options on page 6)	100
IUM080008 IUM080029	0	Single arm fork (only Aluminium fork		" & 5" Alu soft, Alu solid. )( colours: see colour options on page 6) plour options on page 6. Only available in black, orange and silver)	168
HUM080029		Frog Leg fork	•	only in combination with 4" & 5" solid & all ALU casters; only black)	283
	CAS	TOP			
UM080301	CAS	Solid		(3"-6", not with One arm fork)	
IUM080302	0	Soft	(	only 5" and 6", not with One arm fork, for 45 mm fork version only)	
HUM080303		Solid light up	,	(not available for 6", not with One arm fork)	67
IUM080304		Solid with aluminium rim, colour rim: silver only		(only for 4" and 5", use with one arm fork)	79
IUM080306			rk version only) (c	only for 4" and 5", use with one arm fork, pick colours on last page)	79
41		nge from 3"& 4" castor to 5"& 6" is possible afterwards		,	, ,
		rige from 3 & 4 castor to 5 & 6 is possible afterwards ser weight 100kg. Only with 3°, 6° & 9° camber; not in combi	ination with carbon side	quards, lightweight seat	
				, , , , , , , , , , , , , , , , , , ,	
	•	tery and not in combination with lightweight compact whee RATION FOR ATTITUDE ADD-ON BIKE	el lock		

			£
		REAR WHEELS	
		NOTE: for users with higher user weight than 100kg, we recommend cross spoked wheels	
HUM070001	0	Universal Cross spoked (pair) (only 24")	
HUM070002	0	Design wheel (pair) (only 24")	
HUM070003	0	Lightweight wheel (pair) (Colour anodizing selection for 24" LW wheel on the last page)  Proton wheel (quest lightweight) (pair) (colour anodizing selection for 24" LW wheel on the last page)	400
HUM070004		Proton wheel (super lightweight) (pair) (user weight limit 100kg)  Spinorgy whoels 18 spekes colour bub: silver (1) (spir) (block spekes) ether solour spiritble via P444	483
HUM070005		Spinergy wheels 18 spokes, colour hub: silver (1) (pair) (black spokes; other colours available via B4M)  Spinergy wheels 12 spokes; other colours hub: silver (1) (pair) (black spokes; other colours available via B4M)	437
HUM070006 HUM070007		Spinergy wheels 12 spokes, colour hub: silver (1) (pair) (black spokes; other colours available via B4M)  Spinergy wheels 12 spokes, colour hub: black (pair) (black spokes; other colours available via B4M)	674 674
HUM070007		Spinergy wheels 12 spokes, colour hub: black (pair) (black spokes; other colours available via B4M)  Mountain bike wheel (only with 24", mountain bike tyres & aluminium rim, black coated)	297
HUM070010		Additional mountain bike wheel (pair)  (only with 24" & mountain bike tyres)	453
HUM070000		Omit rear wheels	400
		CHIRCICAL WILCOS	
		TYRES (choose only one tyre type)	
HUM070101	0	Right Run (only 24")	
HUM070102	0	Solid tyres (only 24")	
HUM070106		Down Town Two Grip (only 24")	90
HUM070107		Schwalbe One (slight puncture protection)	90
HUM070104		Marathon plus evolution (puncture resistant)	90
	HAND	PRIM	
HUM070201	0	Aluminium silver powder coated	
HUM070202	0	Aluminium silver anodised	
HUM070204	0	Stainless steel	
HUM070203		Aluminium colour powder coated (pick colour for handrim in colour list charged once)	60
HUM070205		Titanium (25" only in combination with Spinergy)	185
HUM070206		Titanium clear powder coated (pick colour for handrim in colour list; 25" only in combination with Spinergy)	185
HUM070207		Supergrip (only 24" wheels)  May Group	222
HUM070208		Max Grepp (only 24" wheels)  Handring Ellipse 3P, black (organish and time with rubber strip)	222
HUM070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip)  HUM070317 O Close 12 - 17mm	177
Handrim mo	ounting	HUM070327 O Wide 27mm (Not with light weight, Proton & Spinergy wheel and alu handrim)	
		HUM070307 O Extra close 7mm (only with stainl. steel or Surge, only with 24" Design & Univ. wheel)	
HUM070250		Handrim cover (only 24" wheels)	90
	AXLE	TUBE	
HUM010401	0	Standard axle tube	
HUM010402		Carbon axle tube (only for 0° and 3° wheel chamber)	203
	CAME		
HUM070600	0	0°	
HUM070603	0	3°	
HUM070606	0	6° (not available with carbon axle tube)	
HUM070609	0	9° (not available with carbon axle tube)	
		SPOKE GUARDS	
HUM070831		Transparent (only available in 22", 24" & 26")	122
		Spoke guards Number Description	122
Diagra con-		· · ·	· .
		t page of this order form to choose your selection, or to order a copy of our new Leaders 1845 605 66 88 or e-mail literaturerequests@sunmed.co.uk. You can also view the	
brochure on	line by vi	siting www.sunrisemedical.co.uk and navigating to Quickie Helium. You will find	
tne brochure	under "d	locumentation"	
		EL LOCKS (choose only one option)	
HUM060001	0	Standard wheel lock	
HUM060003	0	Compact wheel lock (2)	444
HUM060004		Lightweight compact (2) (3) (4)	144
HUM060002		Knee lever wheel lock  Extension for knee lever wheel lock slip-on swipg-away  (only on HUM060002)	56 38
HUM060010		Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002)  One arm wheel lock left	38 151
HUM060006		One arm wheel lock right	151
HUM060007 (1): only with		Aluminium silver powdercoated	131
		6° & 9° camber (please check NoGo-Matrix)	
		G ± 2 cm on a chair in the field.	
(4) Not for us			

	۸۵۵	ESSORIES								£
HUM090000	O	Tool kit								
HUM090100	0		brackets - Crash	test ontion				(not availab	le on Helium Pro)	
HUM090017		Snoll on	(1)	test option				•	er weight: 100kg)	539
HUM090024		High pressure						(max ac	or weight reengy	73
HUM090025		Air pump	pamp							15
HUM090030		Back pack								59
HUM090020		Net back bag								22
HUM090019		Caddy						(not with pi	atform footplates)	59
HUM090026		Mobile phone	pouch					. ,		44
HUM090014		Handbike re-e	nforcement tubes					(Only w	ith handbike axle)	345
	COL	OURS	Please visit www.q	uickiewheelchai	irs.eu/xen	onsa to choose your colours	3			
		Frame	Handrim	Hub/Rim	1 <b>(2)</b>		Frame	Handrin	n Hub/Ri	m <b>(2)</b>
			£60	£171				£60	£17	'1
01 White RAL 9010		0				26 Silver Texture	0			
02 Brilliant Silver		0				27 Graphite metallic	0			
03 Silver Matt		0				28 Platinum metallic	0			
04 Silver		0				29 Black	0			
06 Sun Yellow		0				31 Matt Black	0			
07 Brilliant Lime		0				32 Signal White	0			
08 Matt Lime		0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			
15 Brilliant Marine		0				35 Skyblue	0			
16 Matt Marine		0				36 Cyan-Metallic 37 Mars Red (Orange)	0			
19 Brilliant Purple 20 Matt Purple		0				39 Cappuccino	0			
20 Mail Furple 21 Red Ruby		0				40 Kiwi	0			
22 Brilliant Red		0				41 Flamingo-Glitter	0			
23 Matt Red		0				42 Matt-Anthracite	0			
24 Tutti Frutti Orange		0	_	_		43 Azure Blue	0		_	
		24" LIGHTV	VEIGHT WHEE	LS						
HUM100336	0	Orange anodis		HUM100337	0	Blue anodised (3)				
HUM100338	0	Red anodised	(3)							
		BACKREST	BRACKET (D	ouble lock	ing ba	ck only)			•	
HUM030035	0	Black		HUM030037	0	Silver	HUM030039	0	Blue <b>(6)</b>	
HUM030036	0	Orange		HUM030038	0	Red <b>(6)</b>				
		CASTOR F	ORKS							
HUM080041	0	Black		HUM080042	0	Silver	HUM080045	0	Blue	
HUM080043	0	Orange		HUM080044	0	Red				
			HEEL (Only so		_	_			Divis	
HUM080311	0	Black		HUM080313	0	Orange	HUM080315	0	Blue	
HUM080312	0	Silver		HUM080314	0	Red				
HUM100550	0	STICKERS Black		HUM100552	0	Orange	HUM100554	0	Blue	
HUM100551	0	Silver		HUM100553	0	Orange Red	. 1011/100004		Diuc	
			/ SPACER (No							
HUM100560	0	Silver		HUM100562	0	Red				
HUM100561	0	Orange		HUM100563	0	Blue				
			ANSFERS (Do	ts)						
HUM100570	0	Black	•	HUM100571	0	Silver	HUM100574	0	Blue	
HUM100572	0	Orange		HUM100573	0	Red	HUM100575	0	Matt Black	
(1) Not in combina	tion wi	th performance i	footrest and high m	nounted footre	st					
(2) Only with univ	ersal c	ross spoke rear	wheel							
			lack spokes. Only v							
						. Backrest bracket only in	combination with	1		
		=	n colours, otherwis	-						
			ne-arm fork) in com	bination with I	HUM0803	302 Castor, soft or HUM08	0306 Castor soft v	with alumini	um rim	
(6) Only with car	botecti	ure forks							CO 705	
Base Price									£2,725	
Option price									£	
Total Price									£	

#### Please follow this measuring method:


The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.



#### Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 13 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.


Note: The user's ability to sit upright has a major influence on the back height

and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 $0^{\circ}$  is the angle  $90^{\circ}$  to the seat. Negative angles are  ${<}90^{\circ}$ 

and positive angles are >90°.






Back angle

#### Low Seat Frame vs. High Seat Frame:

The high frame is 4 cm higher than the low frame. So you can choose shorter and lighter forks to minimize the weight of your wheelchair.



#### **Technical Data Overview:**

Overall width: Overall width with: 24" rear wheel 25" rear wheel Overall width: SW + 17 cm SW + 17 cm For 0° camber: Max overall height 112 cm For 3° camber: SW + 23 cmSW + 24 cm Max overall length 91 cm For 6° camber: SW + 29 cm SW + 30 cm

Please note that the matrix is based on a std configuration:

Std chair 40 x 40 cm; 3° camber; 5,60 cm CoG; Seat angle of 8°

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm

## **SEAT UPHOLSTERIES AND CUSHIONS**



HUM020002-020002 Seat sling, nylon, tension adjustable



HUM020005 -020007 Seat sling clip style (airflow)



HUM090018 Lap belt with buckle, metal

## **BACKREST**



HUM030003 Oval Shaped Backrest



HUM030102 Backrest, angle-adjustable, lock when folded



HUM030201 Push handles long



HUM030203 Push handles, fold-down



HUM030204 Push handles , height-adjustable



HUM030316 EXO backrest sling



HUM030317 EXO PRO backrest sling

## **FOOTBOARDS**



HUM050029 Tubular footrest lightweight



HUM050030 Tub ular footrest lightweight with flat cover



HUM050025 Platform footrest LW composite plate



HUM050026 Platform footrest LW carb on plate



AGN050125 Performance footrest alu angle adj



AGN050127 Foot positioning plate




AGN050020 Composite footplate divided



AGN050022 Alu footplate divided

## FRAME VERSIONS



Frame Standard vs. Frame Long



Frame Angles

Difference is 20 mm

#### Frame inset table

					Seat Wid	dth (mm)			
Inset		320	340	360	380	400	420	440	460
0 mm	Frame Width Inside	270	290	310	330	350	370	390	410
UIIIII	Frame Width Casterhouse	440	460	480	500	520	540	560	580
10 mm	Frame Width Inside	250	270	290	310	330	350	370	390
10 111111	Frame Width Casterhouse	420	440	460	480	500	520	540	560
	Frame Width Inside	NA	230	250	270	290	310	330	350
30 mm	Frame Width Casterhouse wide	NA	460	480	500	520	540	560	580
	Frame Width Casterhouse small	NA	400	420	440	460	480	500	520

#### FRAME ACCESSORIES



HUM090001 Tip assist left



HUM090004 Anti-tip tubes SA



HUM090007 Anti tip tubes pluggable



HUM090035 Sport anti-tip



HUM090008 Anti tip flip up User operated

## **FORKS**



HUM080013 & HUM080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



HUM080008 Castor fork, aluminum, one-arm, red

## **REAR WHEELS**



HUM070001 Universal wheel



HUM070002 Design wheel



HUM070003 Lightweight wheel



HUM070004 Proton wheel



HUM070010 Mountainbikewheel

#### **TYRES**



HUM070101 Schwalbe Right Run



HUM070106 Schwalbe Down Town



HUM070107 Schwalbe One



HUM070104 Schwalbe Marathon Plus Evolution



HUM070102 Tyre, puncture proof

## **HANDRIMS**



HUM070208 Handrims Maxgrepp



HUM070212 Handrims Ellipse 3R

#### WHEEL LOCKS



HUM060001 Standard brake



HUM060002 Knee lever brake



HUM060003 Compact b rake



HUM060004 Lightweight Compact brake

## NoGo Matrix for Lightweight Compact Brake

Seat height values are valid with 56 mm COG, seat depth 400 mm and  $8^{\circ}$  seat angle, axle stem assembled with one spacer

#### SD 420 - 480 mm

24"					F	ront	Seat	Hei	ght							25"					F	ront :	Seat	Heiç	ght						
Cog	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570	Cog	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570
20	✓	>	>	>	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	20	>	✓	>	>	✓	>	>	>	>	<b>✓</b>	<b>&gt;</b>	✓	✓	>	✓
32	✓	>	>	>	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	32	>	✓	>	>	✓	>	>	>	>	<b>✓</b>	<b>&gt;</b>	✓	✓	>	✓
44	✓	>	>	>	<b>&gt;</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	44	<b>&gt;</b>	✓	>	>	✓	>	>	>	>	<b>✓</b>	>	✓	✓	>	✓
56	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	<b>✓</b>	56	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓
68	✓	>	>	>	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	68	>	✓	>	>	✓	>	>	>	>	<b>✓</b>	<b>&gt;</b>	✓	✓	>	✓
80	✓	>	>	>	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	80	>	✓	>	>	✓	>	>	>	>	<b>✓</b>	>	✓	✓	>	✓
92	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>	✓	92	✓	✓	<b>✓</b>	<b>✓</b>	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓								
104	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	104	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓

#### **SD 400 mm**

24"					F	ront	Seat	Heid	thr							25"					F	ont !	Seat	Heid	thr						
	430	440	450	460	_	_		_		520	530	540	550	560	570	Cog	430	440	450	460	_				_	520	530	540	550	560	570
20	_	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
32	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	32	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
44	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	44	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
56	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	56	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓
68	✓	>	>	✓	✓	✓	✓	✓	✓	✓	✓	>	✓	✓	✓	68	>	✓	>	✓	✓	✓	>	✓	✓	✓	<b>&gt;</b>	✓	✓	>	✓
80	<	✓	✓	✓	<b>✓</b>	<b>✓</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	80	>	✓	✓	✓	✓	<	✓	✓	✓	✓	✓	✓	✓	✓	✓
92	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	92	Χ	Χ	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
104	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	104	Х	Х	Х	Х	Х	Х	Х	✓	✓	✓	✓	✓	✓	✓	✓

## SD 340 - 380 mm

24"	4" Front Seat Height															25"	Front Seat Height														
Cog	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570	Cog	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570
20	✓	✓	>	✓	✓	✓	>	✓	✓	✓	>	>	✓	>	>	20	>	✓	✓	>	>	✓	✓	>	✓	✓	✓	>	✓	>	✓
32	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	32	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
44	✓	✓	>	✓	✓	✓	>	✓	✓	✓	>	>	✓	>	>	44	>	✓	✓	>	>	✓	✓	>	✓	✓	✓	>	✓	>	✓
56	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	<b>✓</b>	✓	✓	56	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
68	✓	✓	>	✓	<b>~</b>	✓	>	✓	✓	✓	>	>	✓	>	>	68	Х	<b>✓</b>	✓	<b>&gt;</b>	✓	✓	✓	>	✓	✓	✓	>	✓	>	✓
80	Х	>	>	✓	✓	<b>~</b>	✓	✓	✓	✓	✓	✓	~	✓	✓	80	Х	Х	Х	Х	Х	Х	✓	>	<b>✓</b>	<b>✓</b>	✓	✓	✓	✓	✓
92	Х	Χ	Χ	<b>\</b>	✓	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	✓	✓	92	Χ	Х	Х	Χ	Χ	Х	Χ	Χ	Х	✓	✓	✓	✓	✓	✓
104	Χ	Χ	Χ	Χ	Χ	Χ	Χ	✓	✓	✓	✓	✓	✓	✓	✓	104	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Х	✓	✓	✓	✓





## **ACCESSORIES**



HUM090024 High pressure pump



HUM090025 Air pump



HUM090030 Back pack



HUM090019 Caddy, flip-up bracket for bags




HUM090026 Mobile phone pocket

## **AXLE STEM COLOUR**



## FRAME GRAPHIC "FLOATING DOTS" COLOUR





## 24 " LIGHT WEIGHT WHEEL COLOURS



HUN100336 Lightweight wheel, anodized orange



HUM100337 Lightweight wheel, anodized blue



HUM100338 Lightweight wheel, anodized red



# **SPOKE GUARDS - 22" & 24" ONLY**



HUM070823 -Princess



HUM070808 -Dancing Bear



HUM070818 - Jungle Fever



HUM070816 - Happy Lions



HUM070832 - Water World



HUM070825 - Randolf



HUM070819-Monkeys



HUM070821 - Pirates



HUM070811 - Feather



HUM070820 - Oriental



HUM070824 - Racing



HUM070809 - Dirt Race



HUM070829 -Superhero



HUM070814 - Graffiti



HUM070806 - Chrome Wheel



HUM070817 - Hot Wheels



HUM070802 -Basketball



HUM0708036 -Basketball 2



HUM070822 - Pool



HUM070812 - Flying Water



HUM070828 - Space



HUM070827 - Silk



HUM070801 - Abstract



HUM070807 - Creative



HUM070830 - Tiger



HUM070833 - Zebra



HUM070805 - Cheese



HUM070804 - Bibbo



HUM070813 - Galactica



HUM070826 - Rotation



HUM070810 - Fantasy



HUM070815 - Graphic