

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order
 Calculation
 Built 4 me
 = No cost option
 = Standard
 = Cost option

Part no: 05300001

Max. user weight: 140 kg ⁽¹⁾

PQR01

USER WEIGHT kg



Mandatory information to ensure correct configuration

Base Price £1,500

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
<input type="radio"/>										

Includes option NSW010602:
User weight 140 kg

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
<input type="radio"/>								

(1) Max user weight 140kg only with option NSW010602 or with SW 44-50cm;
 Standard maximum user weight: 120kg.

● = Standard ○ = No cost option □ = Cost option

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

		Front seat height in cm																									
Front castor		Frame	Fork (length)	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	
3"	Std	111 mm									○	○	○	○	○												
		123 mm* (1)												○	○	○	○										
		138 mm (1)													○	○	○	○									
		174 mm (1)																○	○	○	○	○					
		One Arm (1)										○	○	○	○	○											
	Hemi	111 mm* (1)	○	○	○																						
		138 mm* (1)		○	○	○	○																				
		174 mm* (1)					○	○	○	○	○																
	4"	Std	111 mm										○	○	○	○	○										
			123 mm* (1)													○	○	○	○								
			138 mm (1)														○	○	○	○	○						
			174 mm (1)																○	○	○	○	○	○			
			One Arm (1)												○	○	○	○	○								
		Hemi	111 mm* (1)	○	○	○	○																				
	138 mm* (1)				○	○	○	○	○																		
	174 mm* (1)						○	○	○	○	○	○															
	5"	Std	111 mm													○	○	○	○								
			123 mm* (1)														○	○	○	○							
138 mm (1)																	○	○	○	○	○						
174 mm (1)																		○	○	○	○	○	○	○			
One Arm (1)																○	○	○	○								
Hemi		111 mm* (1)		○	○	○	○																				
	138 mm* (1)			○	○	○	○	○																			
	174 mm* (1)					○	○	○	○	○	○																
6"	Std	111 mm															○	○									
		123 mm* (1)																○	○	○							
		138 mm (1)																	○	○	○	○	○				
		174 mm (1)																		○	○	○	○	○	○	○	
		One Arm (1)																	○	○							
	Hemi	111 mm* (1)					○	○																			
		138 mm* (1)					○	○	○	○	○																
		174 mm* (1)						○	○	○	○	○	○														
	Hemi	123 mm* (1)																		○	○						
138 mm (1)																				○	○	○					
174 mm (1)																					○	○	○	○	○	○	
174 mm* (1)																						○	○	○	○	○	

* only available in black

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

		Rear seat height in cm																				
Rear wheels	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	
22"	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○							
24"				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			
25"					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
26"						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

(1) Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

● = Standard ○ = No cost option □ = Cost option

£

SEAT																									
Seat sling																									
NSW020002	○	Seat sling, nylon, tension adjustable, 1 utility bag																							
NSW020003	□	Seat sling, nylon, tension adjustable, 2 utility bags		(only from SW 38 cm)	46																				
NSW020004	□	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag		(only from SW 34 cm)	105																				
NSW020000	○	Without seat sling																							
Seat cushion, cover with zipper, black																									
Foam (medium-soft)		Thickness:	NSW020101 □ 3 cm	NSW020102 □ 5 cm	66																				
Latex (very soft)		Thickness:	NSW020103 □ 5 cm	NSW020104 □ 8 cm	66																				
Seat cushion, climatic membrane water-resistant, cover with zipper, black																									
Foam (medium-soft)		Thickness:	NSW020105 □ 3 cm	NSW020106 □ 5 cm	123																				
Latex (very soft)		Thickness:	NSW020107 □ 5 cm	NSW020108 □ 8 cm	123																				
NSW020150	□	Replacement cover for seat cushion, cover with zipper, black			44																				
Seat accessories																									
NSW020050	□	Additional padding for seat upholstery, removable			28																				
NSW090018	□	Lap belt with buckle, metal			40																				
JAY Cushions - for complete product range see JAY order forms																									
JAY020002	□	JAY Basic			55																				
JAY020003	□	JAY Soft Combi P			77																				
JAY020001	□	JAY Easy Visco, Curved Base			132																				
JAY020004	□	JAY Lite			215																				
JAY020007	□	JAY Easy Fluid, Curved Base			308																				
BACKREST																									
Back height range (cm)		<table border="1"> <thead> <tr> <th>25 - 30</th> <th>30 - 35</th> <th>35 - 40</th> <th>40 - 45</th> <th>45 - 47.5</th> </tr> </thead> <tbody> <tr> <td>○ 25</td> <td>○ 30</td> <td>○ 35</td> <td>○ 40</td> <td>○ 45</td> </tr> <tr> <td>○ 27.5</td> <td>○ 32.5</td> <td>○ 37.5</td> <td>○ 42.5</td> <td>○ 47.5</td> </tr> <tr> <td>○ 30</td> <td>○ 35</td> <td>○ 40</td> <td>○ 45</td> <td></td> </tr> </tbody> </table>			25 - 30	30 - 35	35 - 40	40 - 45	45 - 47.5	○ 25	○ 30	○ 35	○ 40	○ 45	○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5	○ 30	○ 35	○ 40	○ 45		
25 - 30	30 - 35	35 - 40	40 - 45	45 - 47.5																					
○ 25	○ 30	○ 35	○ 40	○ 45																					
○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5																					
○ 30	○ 35	○ 40	○ 45																						
Choose back height factory setting.																									
Height adjustments of 5 cm in total are possible.																									
NSW030010	○	Backrest, fixed (90°)																							
NSW030031	□	Backrest, fold-down (to the front)	(1)		69																				
NSW030012	○	Backrest, angle-adjustable		(75° to 103°)																					
NSW030031	□	Backrest, fold-down (to the front)	(1)		69																				
Push handles																									
NSW030200	○	Without push handles																							
NSW030201	○	Push handles, long																							
NSW030203	□	Push handles, fold-down		(available from back height 32,5 cm)	129																				
NSW030205	□	Push handles, height-adjustable for JAY backs		(available from back height 30 cm)	171																				
NSW030204	□	Push handles, height-adjustable		(available from back height 30 cm)	171																				
Backrest upholstery																									
NSW030316	○	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)																							
		Colour, binding tape:	○ Black	○ Orange	○ Silver																				
			○ Red	○ Blue																					
NSW030317	□	EXO PRO Backrest, synthetic fibre, padded, adj., breathable spacer fabric, 1 accessory bag, black (Evo Exo Version)			147																				
		Colour, binding tape:	○ Black	○ Orange	○ Silver																				
			○ Red	○ Blue																					
NSW030300	○	Without backrest upholstery																							
Accessories for backrest																									
NSW030402	□	Stabilising bar, automatic folding		(only available from SW 36- 48 cm)	141																				
NSW030401	□	Stabilising bar, swing-away			86																				
NSW030412	□	Headrest, medium, height, depth and angle-adjustable			203																				
NSW030410	□	Headrest, tall, height, depth and angle-adjustable, 20x11 cm			203																				

(1) Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note folding-Matrix on next page. If push handles long are chosen, only back heights 30 cm and above are available; if push handles fold-down are chosen, only back heights 35 cm and above are available

● = Standard ○ = No cost option □ = Cost option

£

JAY J3 BACKS

JAY J3 Back - Shallow Contour

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium - 34 cm	<input type="checkbox"/> JAY030033	Tall - 38 cm	506		
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short - 42 cm	<input type="checkbox"/> JAY030019	Medium - 46 cm	<input type="checkbox"/> JAY030025	Tall - 50 cm	572
Shoulder Height:	<input type="checkbox"/> JAY030015	Short - 53 cm	<input type="checkbox"/> JAY030022	Medium - 57 cm	<input type="checkbox"/> JAY030028	Tall - 61 cm	572

JAY J3 Back - Mid Contour

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium - 34 cm	<input type="checkbox"/> JAY030018	Tall - 38 cm	506		
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short - 42 cm	<input type="checkbox"/> JAY030020	Medium - 46 cm	<input type="checkbox"/> JAY030026	Tall - 50 cm	572
Shoulder Height:	<input type="checkbox"/> JAY030016	Short - 53 cm	<input type="checkbox"/> JAY030023	Medium - 57 cm	<input type="checkbox"/> JAY030029	Tall - 61 cm	572

JAY J3 Carbon Back - Shallow Contour

Lower Thoracic:	<input type="checkbox"/> JAY060001	Short - 17 cm	<input type="checkbox"/> JAY060002	Tall - 24 cm	605
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 30 cm	<input type="checkbox"/> JAY060004	Tall - 38 cm	605

Accessories for JAY J3 backs

JAY030004	<input type="checkbox"/> JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP)	(only with JAY J3 backs)	255
JAY030006	<input type="checkbox"/> JAY Std. Headrest (J3EUHDXH & J3EUHDLSP)	(only with JAY J3 backs)	138
JAY090058	<input type="checkbox"/> JAY Accessory bag	(only with JAY J3 Carbon backs)	50

ARMREST AND SIDEGUARDS

Armrest

NSW040052	<input type="checkbox"/> Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	(1)	
NSW040117	<input type="checkbox"/> Tubular armrest, Aluminium, swing away (sideways), padded, removable	(only with backrest, angle adj.)	
NSW040050	<input type="checkbox"/> Single-post sideguard, armpad (25 cm), height-adjustable, removable	(1)	170
NSW040051	<input type="checkbox"/> Single-post sideguard, armpad (36 cm), height-adjustable, removable	(1)	170
NSW040005	<input type="checkbox"/> Desk sideguard, flip-up, removable		161
NSW040001	<input type="checkbox"/> Desk sideguard, armpad (25 cm), fixed, flip-up, removable		161
NSW040002	<input type="checkbox"/> Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable		161
NSW040003	<input type="checkbox"/> Desk sideguard, armpad (31 cm), fixed, flip-up, removable		161
NSW040004	<input type="checkbox"/> Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable		161

Accessories and options for desk sideguards

NSW040020	<input type="checkbox"/> Release assistance for tetraplegics	(only with desk sideguard)	30
NSW090012	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 50 cm, left-mount	(only with desk sideguard)	140
NSW090013	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 50 cm, right-mount	(only with desk sideguard)	140
NSW090011	<input type="checkbox"/> Tray, push-fit, SW 38 - 48 cm	(only with desk sideguard)	140

Sideguards

NSW040107	<input type="checkbox"/> Sideguard, composite, removable, 21 cm high (31 cm long), black		
NSW040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)		225
NSW040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)		242
NSW040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)		309

HANGER

NSW050001	<input type="checkbox"/> Hanger angle 80°	(Not available with Hemi Frame NSW010024)	
NSW050002	<input type="checkbox"/> Hanger angle 70° (2)		

Hanger, aluminium, swing-away

NSW050006	<input type="checkbox"/> Hanger, aluminium, swing-away, LH		
NSW050007	<input type="checkbox"/> Hanger, aluminium, swing-away, RH		
NSW050008	<input type="checkbox"/> Hanger, aluminium, swing-away, pair		

Hanger, ELR (aluminium, flip-up (0-90°)), swing-away

NSW050009	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		198
NSW050010	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		198
NSW050011	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(from SW 38cm)	393

(1) Only with COG Adapter Standard

(2) In combination with NSW010024 "Frame, Hemi" only 70° hangers available

● = Standard ○ = No cost option □ = Cost option

£

FOOTPLATES AND FOOTBOARDS																				
NSW050104	○	Footplates, divided, composite, flip-up, heel loop, black								(from SW 38 cm)										
NSW050020	○	Footplates, divided, composite, angle-adjustable, flip-up, heel loop, black								(from SW 38 cm)										
NSW050022	□	Footplates, divided, aluminium, angle-adjustable, flip-up, heel loop, frame colour									144									
NSW050051	□	Footplates, divided, aluminium, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)									144									
NSW050023	□	Footboard, platform, aluminium, angle-adjustable, flip-up, heel loop, frame colour									147									
NSW050126	○	Swing-away mechanism for platform footboard																		
NSW050059	□	Footboard, platform, Performance, aluminium, angle-adjustable, flip-up, calf strap								(from SW 32 cm)	222									
NSW050131	□	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black									144									
NSW050132	□	Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)									305									
Accessories for footboards																				
NSW050127	□	Foot positioning plate								(2)	19									
LOWER LEG LENGTH (LLL) (LLL has to be 2,5 cm less than front seat height; measurements in cm)																				
	○	22	○	23	○	24	○	25	○	26	○	27	○	28	○	29	○	30	○	31
	○	32	○	33	○	34	○	35	○	36	○	37	○	38	○	39	○	40	○	41
	○	42	○	43	○	44	○	45	○	46	○	47	○	48	○	49	○	50	○	51
LLL below approximately 32cm require high-mount footboards- depends on configuration, please check configurator for details																				
FRAME VERSIONS																				
NSW010015	○	Standard swing away frame																		
NSW010602	○	Reinforced heavy duty frame for max. user weight 140 kg								(Sizes 32-42 only. HD option standard on all other sizes)										
NSW010024	○	Low seat frame option (Hemi)								(compare with your choice on the first page)										
CENTRE OF GRAVITY (COG) (2 cm= very passive; 12 cm= very active)																				
NSW070703		Adapter standard	○	2	○	3	○	4 (Std)	○	5	○	6	○	7	○	8				
			○	9	○	10	○	11	○	12										
NSW070701		Adapter lightweight	○	5 (Std)	○	6	○	7	○	8	○	9	○	10	○	11				
			○	12																
FRAME ACCESSORIES (choose either tip assist or anti- tip tube per side)																				
NSW090016	□	Frame protection, black									67									
NSW090100	●	Transportation brackets - Crash test option									Std.									
NSW090010	□	Transit wheels								(not in combination with anti-tip tubes or tip assist)	194									
Anti-tip tubes, swing-away																				
NSW090004	□	Left	NSW090005	□	Right							87								
NSW090006	□	Pair								(no additional tip assist possible)	176									
Tip assist																				
NSW090001	□	Left	NSW090002	□	Right							28								
NSW090003	□	Tip assist, pair								(no additional anti-tip tube possible)	54									
NSW090009	□	Crutch holder, loop								(only in combination with tip assist)	67									
FORKS (compare with your choice on the first page)																				
NSW080013	●	Castor fork, Carbotecture®, 111mm	○	Black		(only for 111mm and 123mm forks)														
		Colour:	□	Silver	□	Orange	□	Red (3)	□	Blue (3)	46									
NSW080029	○	Castor fork, Aluminium	○	Black		(only for 123mm, 138mm and 174mm forks)														
		Colour:	□	Silver	□	Orange					46									
NSW080008	□	Castor fork, aluminium, one-arm	□	Black							168									
		Colour:	□	Silver	□	Orange	□	Red	□	Blue	46									
STANDARD CASTORS (compare with your choice on the first page)																				
NSW080301	○	Castor, solid (hard), rim: composite, black																		
NSW080302	○	Castor, solid (soft), rim: composite, black								(only 5" & 6")										
NSW080303	□	Castor, solid (hard), light-up, rim: composite, black								(only in 3", 4" and 5")	67									
NSW080304	□	Castor, solid (hard), rim: aluminium	Colour, rim: Silver								(only 4" & 5")	79								
NSW080305	○	Castor, pneumatic, rim: composite, black								(only 7")										
NSW080306	□	Castor, solid (soft), rim: aluminium	□	Silver		(only 4" & 5")					79									
		Colour, rim:	□	Black	□	Orange	□	Red	□	Blue	46									

(1) From SW 34 cm available

(3) Only with 111x45mm Carbotecture fork

(2) Only for footboard, platform lightweight or Performance

(3) Only available in combination with castor, soft (NSW080302 or NSW080306)

● = Standard ○ = No cost option □ = Cost option

£

REAR WHEELS		<i>(compare with your choice on the first page)</i>				
NSW070000	○ Without rear wheel					
NSW070001	○ Rear wheel, Universal, 36 spokes (silver), cross-wise spokes		<i>(not in 25")</i>			
NSW070002	○ Rear wheel, Design, 36 spokes (silver), straight spokes		<i>(only 24" and 26")</i>			
NSW070003	○ Rear wheel, Lightweight, 24 spokes (silver), straight spokes		<i>(not in 26"; see colour options on last page)</i>			
NSW070004	□ Rear wheel, Proton, 24 spokes (black), straight spokes		<i>(not in 26"; user weight limit 100kg)</i>	483		
NSW070005	□ Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver		<i>(not in 22")</i>	437		
NSW070006	□ Rear wheel, Spinergy, 12 spokes (black), straight spokes; hub: silver		<i>(only 24" & 25")</i>	674		
NSW070007	□ Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black		<i>(only 24" & 25")</i>	674		
NSW070008	□ Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	(1)	<i>(only 22" & 24")</i>	353		
NSW070009	□ Rear wheel, Mountain bike, 36 spokes (silver), straight spokes		<i>(only 24")</i>	297		
NSW070010	□ Mountain bike wheel, replacement kit incl. tyre (extra coarse profile)		<i>(only 24")</i>	453		
Axle						
NSW070150	● Quick-release axle					
NSW070151	□ Quick-release axle, designed for quads	(2)		102		
TYRES						
NSW070102	○ Tyre, puncture proof, tread		<i>(not in 26")</i>			
NSW070107	□ Tyre, pneumatic, slick, Schwalbe One		<i>(only 24" and 25")</i>	90		
NSW070101	○ Tyre, pneumatic, fine profile, Schwalbe Right Run		<i>(not in 25")</i>			
NSW070106	□ Tyre, pneumatic, tread, Schwalbe Downtown Two Grip		<i>(only 24")</i>	90		
NSW070104	□ Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution			90		
HANDRIMS						
NSW070202	○ Handrims, aluminium, anodised, silver					
NSW070201	○ Handrims, aluminium, powder-coated, clear					
NSW070204	○ Handrims, stainless steel, silver					
NSW070203	□ Handrims, aluminium, powder-coated, coloured		<i>(select colour on last page, upcharge charged once)</i>	60		
NSW070205	□ Handrims, titanium, untreated		<i>(not in 22")</i>	185		
NSW070206	□ Handrims, titanium, powder-coated, clear		<i>(not in 22")</i>	185		
NSW070207	□ Handrims, Supergrip®			222		
NSW070208	□ Handrims, Maxgrepp®		<i>(only 22" & 24")</i>	222		
NSW070212	□ Handrims, Ellipse 3R, black		<i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i>	177		
Handrim accessories						
NSW070250	□ Handrim cover, rubber		<i>(not with 25" and 26")</i>	90		
Handrim mounting						
NSW070307	○ Handrim mount, super narrow (7 mm)		<i>(only with stainless steel)</i>			
NSW070317	● Handrim mount, narrow (17 mm)					
NSW070327	○ Handrim mount, wide (27 mm)					
WHEEL CAMBER						
NSW070600	○ 0°					
NSW070602	○ 2°	(3)				
NSW070604	○ 4°	(3)				
SPOKE GUARDS						
<i>(coloured: only 22 & 24"; transparent: only 22", 24" & 26")</i>						
NSW070831	□ Transparent			122		
NSW070826	□ Rotation	NSW070815	□ Graphik	NSW070804	□ Bibbo	122
NSW070810	□ Fantasy	NSW070813	□ Glaktica	NSW070805	□ Cheese	122
NSW070823	□ Princess	NSW070808	□ Dancing Bear	NSW070818	□ Jungle Fever	122
NSW070816	□ Happy Lions	NSW070832	□ Water World	NSW070825	□ Randolf	122
NSW070819	□ Monkeys	NSW070821	□ Pirates	NSW070811	□ Feather	122
NSW070820	□ Oriental	NSW070824	□ Racing	NSW070809	□ Dirt Race	122
NSW070829	□ Superhero	NSW070814	□ Graffiti	NSW070806	□ Chrome	122
NSW070817	□ Hot Wheels	NSW070802	□ Basketball	NSW070803	□ Basketball 2	122
NSW070822	□ Pool	NSW070812	□ Flying Water	NSW070828	□ Space	122
NSW070827	□ Silk	NSW070801	□ Abstract	NSW070807	□ Creative	122
NSW070830	□ Tiger	NSW070833	□ Zebra			122

- (1)** Not with fold down push handles & not without push handles
only with adapter, standard and only with 0° and 4° wheel camber
- (2)** Not with rear wheels Spinergy / mountain bike/ drum brakes
- (3)** Not with lightweight COG axle

● = Standard ○ = No cost option □ = Cost option

£

WHEEL LOCKS		(choose only one option)
NSW060001	● Standard brake	
NSW060002	□ Knee-lever brake	56
NSW060010	□ Brake lever extension, knee-lever brake, fold-down	38
NSW060015	□ Push to lock brake, one-arm, left actuation	158
NSW060016	□ Push to lock brake, one-arm, right actuation	158
NSW060003	□ Compact brake	58

ACCESSORIES		
NSW090000	● Tool kit	
NSW090025	□ Air pump	15
NSW090024	□ High pressure pump (0 - 11 bar)	73
NSW090020	□ Net bag	22
NSW090030	□ Back pack	59
NSW090019	□ Caddy, flip-up bracket for bags	(not with platform footplates high-mount) 59
NSW090026	□ Mobile phone pocket	44

COLOURS								(Please consult our colour catalogue to review your colour choice)
	Frame	Handrim	Hub/rim (1)		Frame	Handrim	Hub/rim (1)	
		£60	£171			£60	£171	
01 White RAL 9010	○	□	□	26 Silver Texture	○	□	□	
02 Brilliant Silver	○	□	□	27 Graphite metallic	○	□	□	
03 Silver Matt	○	□	□	28 Platinum metallic	○	□	□	
04 Silver	○	□	□	29 Black	○	□	□	
06 Sun Yellow	○	□	□	31 Matt Black	○	□	□	
07 Brilliant Lime	○	□	□	32 Signal White	○	□	□	
08 Matt Lime	○	□	□	33 Pink	○	□	□	
14 Blue	○	□	□	34 Dark Chocolate Metallic	○	□	□	
15 Brilliant Marine	○	□	□	35 Sky blue	○	□	□	
16 Matt Marine	○	□	□	36 Cyan-Metallic	○	□	□	
19 Brilliant Purple	○	□	□	37 Mars Red (Orange)	○	□	□	
20 Matt Purple	○	□	□	39 Cappuccino	○	□	□	
21 Red Ruby	○	□	□	40 Kiwi	○	□	□	
22 Brilliant Red	○	□	□	41 Flamingo-Glitter	○	□	□	
23 Matt Red	○	□	□	42 Matt Anthracite	○	□	□	
24 Tutti Frutti Orange	○	□	□	43 Azure Blue	○	□	□	

(1) only with rear wheel, Universal

COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24"		(hub and rim anodized, black spokes)
NSW100336	□ Anodized, orange	(only with Rear wheel, lightweight in 24") 91
NSW100337	□ Anodized, blue	(only with Rear wheel, lightweight in 24") 91
NSW100338	□ Anodized, red	(only with Rear wheel, lightweight in 24") 91

COLOURS - for stickers ("Neon²" on the frame and "Quickie" on sideguard)		
NSW100550	○ black	
NSW100551	○ silver	
NSW100552	○ orange	
NSW100553	○ red	
NSW100554	○ blue	

Comments for special build - please apply for a quote; lead time conditions may change.



Quickie Neon² - Base Price	£1,500
Option price	£
VAT.	£
Total Price	£

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 3cm longer than user measurement).
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 11 cm .

Back height:

- a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90°
and positive angles are >90°.

Technical Data Overview:

Max. overall height:	102 cm
Max. overall length:	115 cm
Max. pivot width:	70 cm
Max. safe slope:	7° (for use of parking brakes)
Wheelchair weight:	from 11,5 kg
Dismantled weight:	from 9,1 kg
Mass of heaviest part:	2,1 kg
Max. overall width:	Camber
	For 0° camber: SW + 16 cm
	For 2° camber: SW + 22 cm
	For 4° camber: SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm.



NSW020002
Seat sling with 1 utility bag



NSW020003
Seat sling with 2 utility bags



NSW090018
Lap belt with buckle, metal



NSW030012
Backrest, angle adjustable



NSW030201
Push handles, long



NSW030203
Push handles, fold-down



NSW030204
Push handles, height-adjustable



NSW030316
EXO backrest sling



NSW030317
EXO PRO backrest sling



NSW030412
Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.



NSW030031
Backrest, fold-down

		Back height						
		32.5	35	37.5	40	42.5	45	47.5
Seat width	32	✓	✓	✓	✓	✓	✓	✓
	34	✓	✓	✓	✓	✓	✓	✓
	36	✓	✓	✓	✓	✓	✓	✓
	38		✓	✓	✓	✓	✓	✓
	40			✓	✓	✓	✓	✓
	42				✓	✓	✓	✓
	44				✓	✓	✓	✓
	46					✓	✓	✓
	48						✓	✓
	50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair



JAY 3 Back
Shallow Contour



JAY 3 Back
Mid Contour



JAY 3 Carbon Back
Shallow Contour



NSW04000x
Desk sideguard, armpad, flip-up,
removable



NSW040050
Single-post sideguard



NSW040052
Single-post sideguard, armpad (33 cm)



NSW040117
Tubular armrest, swing away,
removable, padded



NSW040107
Sideguard, composite,
removable (black)



NSW040103
Aluminium, cold weather protection,
fender



NSW040104
Carbon fibre, cold weather protection,
fender



NSW050011
Hanger, aluminium, flip-up (0-90°),
Swing-away



NSW050022
Footboard divided, aluminium,
frame colour



NSW050059
Footboard platform, Performance



NSW050132
Footboard platform, lightweight,
carbon fibre



NSW050127
Adjustable side protection



NSW090010
Transit wheels



NSW090006
Anti-tip tubes, swing away



NSW090001
Tip assist



NSW080013 & NSW080306
Castor fork, Carbotecture & Castor solid (soft) aluminium



NSW080008
Castor fork, aluminium, one-arm, red



NSW070001
Universal wheel



NSW070002
Design wheel



NSW070003
Lightweight wheel



NSW070004
Proton wheel



NSW070010
Mountain bike wheel



NSW070101
Schwalbe Right Run



NSW070106
Schwalbe Down Town



NSW070107
Schwalbe One



NSW070104
Schwalbe Marathon Plus
Evolution



NSW070102
Tyre, puncture proof
Evolution



NSW070208
Handrims Maxgrepp



NSW070212
Handrims Ellipse 3R



NSW060001
Standard brake



NSW060002
Knee lever brake



NSW060003
Compact brake



NSW090000
Tool kit



NSW090024
High pressure pump



NSW090025
Air pump



NSW090030
Back pack



NSW090019
Caddy, flip-up bracket for bags



NSW090026
Mobile phone pocket



NSW100336
Lightweight wheel, anodized orange



NSW100337
Lightweight wheel, anodized blue



NSW100338
Lightweight wheel, anodized red